


# CABLE TIES - COLORED



## FEATURES

- Easy grab tip for pick up from flat surfaces
- Low insertion for quick installation
- Smooth surfaces

## APPLICATIONS

- For indoor use
- Colored cable ties are designed for use in general applications where unique identification is needed, while delivering ease of installation, consistent performance, and industry leading reliability.

## STANDARD MATERIAL

- Nylon 6.6

## CERTIFICATIONS

- UL Listed

PART #	TENSILE STRENGTH (LBS)	ENVIRONMENT	COLOR	LENGTH	WIDTH	THICKNESS	MAX. BUNDLE DIAMETER	BAG QTY.	CASE QTY.	WEIGHT/CASE (LBS.)
BL4M1-M	18	INDOOR	BROWN	4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M1-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I1-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I1-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I1-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I1-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S1-M				7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S1-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S1-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S1-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S1-M	50	INDOOR	RED	14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S1-C				14.6"	0.18"	0.054"	4"	100	5,000	26
BL4M2-M				4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M2-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I2-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I2-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I2-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I2-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S2-M				7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S2-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S2-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S2-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S2-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S2-C				14.6"	0.18"	0.054"	4"	100	5,000	26

# CABLE TIES - COLORED CONTINUED

PART #	TENSILE STRENGTH (LBS)	ENVIRONMENT	COLOR	LENGTH	WIDTH	THICKNESS	MAX. BUNDLE DIAMETER	BAG QTY.	CASE QTY.	WEIGHT/CASE (LBS.)
BL4M3-M	18	INDOOR	ORANGE	4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M3-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I3-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I3-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I3-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I3-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S3-M				7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S3-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S3-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S3-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S3-M	50	INDOOR	YELLOW	14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S3-C				14.6"	0.18"	0.054"	4"	100	5,000	26
BL4M4-M				4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M4-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I4-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I4-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I4-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I4-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S4-M				7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S4-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S4-M	50	INDOOR	GREEN	11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S4-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S4-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S4-C				14.6"	0.18"	0.054"	4"	100	5,000	26
BL4M5-M				4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M5-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I5-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I5-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I5-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I5-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S5-M	50	INDOOR	GREEN	7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S5-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S5-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S5-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S5-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S5-C				14.6"	0.18"	0.054"	4"	100	5,000	26

CABLE TIES

# CABLE TIES - COLORED CONTINUED

PART #	TENSILE STRENGTH (LBS)	ENVIRONMENT	COLOR	LENGTH	WIDTH	THICKNESS	MAX. BUNDLE DIAMETER	BAG QTY.	CASE QTY.	WEIGHT/CASE (LBS.)
BL4M6-M	18	INDOOR	BLUE	4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M6-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I6-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I6-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I6-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I6-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S6-M	50	INDOOR	PURPLE	7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S6-C				7.6"	0.18"	0.054	2"	100	10,000	30
BL11S6-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S6-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S6-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S6-C				14.6"	0.18"	0.054"	4"	100	5,000	26
BL4M7-M	18	INDOOR	GRAY	4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M7-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I7-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I7-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I7-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I7-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S7-M	50	INDOOR	GRAY	7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S7-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S7-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S7-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S7-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S7-C				14.6"	0.18"	0.054"	4"	100	5,000	26
BL4M8-M	18	INDOOR	GRAY	4.1"	0.096"	0.035"	0.75"	1,000	10,000	17
BL4M8-C				4.1"	0.096"	0.035"	0.75"	100	10,000	17
BL5I8-M				5.8"	0.142"	0.05"	1.50"	1,000	10,000	17
BL5I8-C				5.8"	0.142"	0.05"	1.50"	100	10,000	17
BL8I8-M				8.9"	0.142"	0.05"	2"	1,000	10,000	24
BL8I8-C				8.9"	0.142"	0.05"	2"	100	10,000	24
BL7S8-M	50	INDOOR	GRAY	7.6"	0.18"	0.054"	2"	1,000	10,000	30
BL7S8-C				7.6"	0.18"	0.054"	2"	100	10,000	30
BL11S8-M				11.1"	0.18"	0.054"	3"	1,000	5,000	21
BL11S8-C				11.1"	0.18"	0.054"	3"	100	5,000	21
BL14S8-M				14.6"	0.18"	0.054"	4"	1,000	5,000	26
BL14S8-C				14.6"	0.18"	0.054"	4"	100	5,000	26